


July 16, 2015

From: SPS+ Architects  
8681 East Via de Negocio  
Scottsdale, AZ 85258-3330

To: All Bidders, Suppliers and Other Interested Parties

Subject: **ADDENDUM NO. 1**

Project: GANADO UNIFIED SCHOOL DISTRICT 20  
GANADO HIGH SCHOOL NEW ROOFING  
SPS+ ARCHITECTS PROJECT NO. 1409A  
BID #: IFB-16-27-16



**Bid Date: Bids will be received until 1:00 P.M., Local time July 23, 2015 at the Procurement Department of the Ganado Unified School District 20**

With reference to the Plans and Specifications for the above-designated project, which are in your possession for the purpose of preparing a Proposal, please note the following information, all of which is hereby made a part of the Contract Documents. This addendum supersedes all previous information.

**GENERAL:**

Item 1. Pre-Bid Meeting:

- A. Pre-bid meeting: A copy of the meeting minutes and the attendance sign in sheets are attached.

Item 2. Roof Report:

- A. A copy of the roof condition report prepared by WRE Corp. is attached for reference.

**SPECIFICATION:**

Item 1. Section 07 5213 – (APP) Modified Bituminous Membrane Roof System:

- A. Add the following paragraph, 2.1.H.2:  
"Provide (1) layer 5/8" Type 'X' gypsum sheathing per ASTM C36/1396 on top of roof deck at 1/2" per foot structural slope roofs 1, 5 & 6. Provide tapered insulation at crickets only. Refer to plans."

Item 2. Section 07 5214 – (APP) Modified Bituminous Membrane Roof System:

- A. Add the following paragraph, 2.1.H.2:  
"Provide (1) layer 5/8" Type 'X' gypsum sheathing per ASTM C36/1396 on top of roof deck at 1/2" per foot structural slope roofs 1, 5 & 6. Provide tapered insulation at crickets only. Refer to plans."

ADDENDUM NO. 1  
GANADO UNIFIED SCHOOL DISTRICT 20  
GANADO HIGH SCHOOL NEW ROOFING  
SPS+ Architects Project No. 1409A  
July 16, 2015

**DRAWINGS:**

Item 1. Sheets A102, A103, A104, A105 and A106:

A. Revise Roofing Legend first item from top as follows::

"Slope Direction – Match existing tapered insulation layout with slope to internal roof drains. Minimum allowable tapered insulation slope shall be ¼" per foot. Roofs 1, 5 and 6 are Structural Sloped roof decks at ½" per foot slope. Provide tapered insulation at crickets only and as indicated per plan."

**ATTACHMENTS:**

1. Pre Bid Meeting Minutes
2. WRE Corp Roof Report
3. Ganado H.R. Document
4. Pre Bid Sign in Sheet

**PLEASE ACKNOWLEDGE RECEIPT OF THIS ADDENDUM NO. 1 IN THE SPACE PROVIDED ON THE BID FORM.**

- END -